

## Part 2 – Schedules

### Schedule 1 – Truck, Tractor & Trailer

**Application:**

This schedule applies to trucks, tractors and trailers or combinations thereof exceeding a registered gross vehicle weight of 4 500 kg.

<b>1. Air Brake System</b>	
<b>Defect(s)</b> <ul style="list-style-type: none"> <li>• Audible air leak.</li> <li>• Slow air pressure build-up rate.</li> </ul>	<b>Major Defect(s)</b> <ul style="list-style-type: none"> <li>• Pushrod stroke of any brake exceeds the adjustment limit.</li> <li>• Air loss rate exceeds prescribed limit.</li> <li>• Inoperative towing vehicle (tractor) protection system.</li> <li>• Low air warning system fails or system is activated.</li> <li>• Inoperative service, parking or emergency brake.</li> </ul>
<b>2. Cab</b>	
<b>Defect(s)</b> <ul style="list-style-type: none"> <li>• Occupant compartment door fails to open.</li> </ul>	<b>Major Defect(s)</b> <ul style="list-style-type: none"> <li>• Any door fails to close securely.</li> </ul>
<b>3. Cargo Securement</b>	
<b>Defect(s)</b> <ul style="list-style-type: none"> <li>• Insecure or improper load covering.</li> </ul>	<b>Major Defect(s)</b> <ul style="list-style-type: none"> <li>• Insecure cargo.</li> <li>• Absence, failure, malfunction or deterioration of required cargo securement device or load covering.</li> </ul>
<b>4. Coupling Devices</b>	
<b>Defect(s)</b> <ul style="list-style-type: none"> <li>• Coupler or mounting has loose or missing fastener.</li> </ul>	<b>Major Defect(s)</b> <ul style="list-style-type: none"> <li>• Coupler is insecure or movement exceeds prescribed limit.</li> <li>• Coupling or locking mechanism is damaged or fails to lock.</li> <li>• Defective, incorrect or missing safety chain/cable.</li> </ul>
<b>5. Dangerous Goods</b>	
	<b>Major Defect(s)</b> <ul style="list-style-type: none"> <li>• Dangerous goods requirements not met.</li> </ul>
<b>6. Driver Controls</b>	
<b>Defect(s)</b> <ul style="list-style-type: none"> <li>• Accelerator pedal, clutch, gauges, audible and visual indicators or instruments fail to function properly.</li> </ul>	
<b>7. Driver Seat</b>	
<b>Defect(s)</b> <ul style="list-style-type: none"> <li>• Seat is damaged or fails to remain in set position.</li> </ul>	<b>Major Defect(s)</b> <ul style="list-style-type: none"> <li>• Seatbelt or tether belt is insecure, missing or malfunctions.</li> </ul>
<b>8. Electric Brake System</b>	
<b>Defect(s)</b> <ul style="list-style-type: none"> <li>• Loose or insecure wiring or electrical connection.</li> </ul>	<b>Major Defect(s)</b> <ul style="list-style-type: none"> <li>• Inoperative breakaway device.</li> <li>• Inoperative brake.</li> </ul>

<b>9. Emergency Equipment &amp; Safety Devices</b>	
<b>Defect(s)</b> • Emergency equipment is missing, damaged or defective.	
<b>10. Exhaust System</b>	
<b>Defect(s)</b> • Exhaust leak.	<b>Major Defect(s)</b> • Leak that causes exhaust gas to enter the occupant compartment.
<b>11. Frame and Cargo Body</b>	
<b>Defect(s)</b> • Damaged frame or cargo body.	<b>Major Defect(s)</b> • Visibly shifted, cracked, collapsing or sagging frame member(s).
<b>12. Fuel System</b>	
<b>Defect(s)</b> • Missing fuel tank cap.	<b>Major Defect(s)</b> • Insecure fuel tank. • Dripping fuel leak.
<b>13. General</b>	
	<b>Major Defect(s)</b> • Serious damage or deterioration that is noticeable and may affect the vehicle's safe operation.
<b>14. Glass and Mirrors</b>	
<b>Defect(s)</b> • Required mirror or window glass fails to provide the required view to the driver as a result of being cracked, broken, damaged, missing or maladjusted. • Required mirror or glass has broken or damaged attachments onto vehicle body.	
<b>15. Heater/Defroster</b>	
<b>Defect(s)</b> • Control or system failure.	<b>Major Defect(s)</b> • Defroster fails to provide unobstructed view through the windshield.
<b>16. Horn</b>	
<b>Defect(s)</b> • Vehicle has no operative horn.	
<b>17. Hydraulic Brake System</b>	
<b>Defect(s)</b> • Brake fluid level is below indicated minimum level. • Parking brake is inoperative	<b>Major Defect(s)</b> • Brake boost or power assist is not operative. • Brake fluid leak. • Brake pedal fade or insufficient brake pedal reserve. • Activated (other than ABS) warning device. • Brake fluid reservoir is less than ¼ full.

<b>18. Lamps and Reflectors</b>	
<b>Defect(s)</b>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Required lamp does not function as intended.</li> <li>• Required reflector is missing or partially missing.</li> </ul>	<p><i>When lamps are required:</i></p> <ul style="list-style-type: none"> <li>• Failure of both low-beam headlamps.</li> <li>• Failure of both rearmost tail lamps.</li> </ul> <p><i>At all times:</i></p> <ul style="list-style-type: none"> <li>• Failure of a rearmost turn-indicator lamp.</li> <li>• Failure of both rearmost brake lamps.</li> </ul>
<b>19. Steering</b>	
<b>Defect(s)</b>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Steering wheel lash (free-play) is greater than normal.</li> </ul>	<ul style="list-style-type: none"> <li>• Steering wheel is insecure, or does not respond normally.</li> <li>• Steering wheel lash (free-play) exceeds required limit.</li> </ul>
<b>20. Suspension System</b>	
<b>Defect(s)</b>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Air leak in air suspension system.</li> <li>• Broken spring leaf.</li> <li>• Suspension fastener is loose, missing or broken.</li> </ul>	<ul style="list-style-type: none"> <li>• Damaged, deflated air bag.</li> <li>• Cracked or broken main spring leaf or more than one broken spring leaf.</li> <li>• Part of spring leaf or suspension is missing, shifted out of place or in contact with another vehicle component.</li> <li>• Loose U-bolt.</li> </ul>
<b>21. Tires</b>	
<b>Defect(s)</b>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Damaged tread or sidewall of tire.</li> <li>• Tire leaking.</li> </ul>	<ul style="list-style-type: none"> <li>• Flat tire.</li> <li>• Tire tread depth is less than wear limit.</li> <li>• Tire is in contact with another tire or any vehicle component other than mud-flap.</li> <li>• Tire is marked "Not for highway use".</li> <li>• Tire has exposed cords in the tread or outer side wall area.</li> </ul>
<b>22. Wheels, Hubs and Fasteners</b>	
<b>Defect(s)</b>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Hub oil below minimum level. (When fitted with sight glass.)</li> <li>• Leaking wheel seal.</li> </ul>	<ul style="list-style-type: none"> <li>• Wheel has loose, missing or ineffective fastener.</li> <li>• Damaged, cracked or broken wheel, rim or attaching part.</li> <li>• Evidence of imminent wheel, hub or bearing failure.</li> </ul>
<b>23. Windshield Wiper/Washer</b>	
<b>Defect(s)</b>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Control or system malfunction.</li> <li>• Wiper blade damaged, missing or fails to adequately clear driver's field of vision.</li> </ul>	<p><i>When necessary for prevailing weather condition.</i></p> <ul style="list-style-type: none"> <li>• Wiper or washer fails to adequately clear driver's field of vision in area swept by driver's side wiper.</li> </ul>