

## Schedule 3 – Motor Coach (Daily)

**Application:**

This schedule applies only to a Motor Coach equipped with air ride suspension, air brakes and automatic brake adjusters. Driver shall be in possession of a valid schedule 4 report or equivalent report(s) in accordance with an approved jurisdictional program. Any trailer towed by a Motor Coach must be inspected in accordance with Schedule 2.

<b>1. Accessibility Devices</b>	
<b>Defect(s)</b> <i>Accessibility device may not be used if:</i>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Alarm fails to operate.</li> <li>• Equipment malfunctions.</li> <li>• Interlock system malfunctions.</li> </ul>	<ul style="list-style-type: none"> <li>• Vehicle fails to return to normal level after "kneeling."</li> <li>• Extendable lift, ramp or other passenger-loading device fails to retract.</li> </ul>
<b>2. Air Brake System</b>	
<b>Defect(s)</b>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Audible air leak.</li> <li>• Slow air pressure build-up rate.</li> </ul>	<ul style="list-style-type: none"> <li>• There is any indication of a brake adjustment problem.</li> <li>• Air loss rate exceeds prescribed limit.</li> <li>• Inoperative towing vehicle (tractor) protection system.</li> <li>• Low air warning system fails or system is activated.</li> <li>• Inoperative service, parking or emergency brake.</li> </ul>
<b>3. Coupling Devices</b>	
<b>Defect(s)</b>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Coupler or mounting has loose or missing fastener.</li> </ul>	<ul style="list-style-type: none"> <li>• Coupler is insecure or movement exceeds prescribed limit.</li> <li>• Coupling or locking mechanism is damaged or fails to lock.</li> <li>• Defective, incorrect or missing safety chain/cable.</li> </ul>
<b>4. Dangerous Goods</b>	
	<b>Major Defect(s)</b>
	<ul style="list-style-type: none"> <li>• Dangerous goods requirements not met.</li> </ul>
<b>5. Doors and Emergency Exits</b>	
<b>Defect(s)</b>	<b>Major Defect(s) (Passengers may not be carried.)</b>
<ul style="list-style-type: none"> <li>• Door, window or hatch fails to open or close securely.</li> <li>• Alarm inoperative.</li> </ul>	<ul style="list-style-type: none"> <li>• Required emergency exit fails to function as intended.</li> </ul>
<b>6. Driver Controls</b>	
<b>Defect(s)</b>	<b>Major Defect(s) (Passengers may not be carried.)</b>
<ul style="list-style-type: none"> <li>• Accelerator pedal, clutch, gauges, audible and visual indicators or instruments fail to function properly.</li> </ul>	<ul style="list-style-type: none"> <li>• Accelerator sticking and engine fails to return to idle.</li> </ul>
<b>7. Driver Seat</b>	
<b>Defect(s)</b>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Seat is damaged or fails to remain in set position.</li> </ul>	<ul style="list-style-type: none"> <li>• Seatbelt or tether belt is insecure, missing or malfunctions.</li> </ul>
<b>8. Emergency Equipment &amp; Safety Devices</b>	
<b>Defect(s)</b>	
<ul style="list-style-type: none"> <li>• Emergency equipment is missing, damaged or defective.</li> </ul>	

<b>9. Exhaust System</b>	
<b>Defect(s)</b> • Exhaust leak.	<b>Major Defect(s)</b> • Leak that causes exhaust gas to enter the occupant compartment.
<b>10. Exterior Body</b>	
<b>Defect(s)</b> • Insecure or missing body parts. • Insecure or missing compartment door.	
<b>11. Fuel System</b>	
	<b>Major Defect(s)</b> • Missing fuel tank cap. • Insecure fuel tank. • Dripping fuel leak.
<b>12. General</b>	
	<b>Major Defect(s)</b> • Serious damage or deterioration that is noticeable and may affect the vehicle's safe operation.
<b>13. Glass and Mirrors</b>	
<b>Defect(s)</b> • Required mirror or window glass fails to provide the required view to the driver as a result of being cracked, broken, damaged, missing or maladjusted. • Required mirror or glass has broken or damaged attachments onto vehicle body.	<b>Major Defect(s) (Passengers may not be carried.)</b> • Driver's view of the road is obstructed in the area swept by the windshield wipers.
<b>14. Heater/Defroster</b>	
<b>Defect(s)</b> • Control or system failure.	<b>Major Defect(s)</b> • Defroster fails to provide unobstructed view through the windshield.
<b>15. Horn</b>	
<b>Defect(s)</b> • Vehicle has no operative horn.	
<b>16. Lamps and Reflectors</b>	
<b>Defect(s)</b> • Required interior lamp does not function as intended. • Required reflector is missing or partially missing. • Passenger safety or access lamp does not function.	<b>Major Defect(s)</b> <i>When lamps are required:</i> • Failure of both low-beam headlamps. • Failure of both rearmost tail lamps. <i>At all times:</i> • Failure of a rearmost turn-indicator lamp. • Failure of both rearmost brake lamps.

<b>17. Passenger Compartment</b>	
<b>Defect(s)</b>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Stanchion padding is damaged</li> <li>• Damaged steps or floor.</li> <li>• Insecure or damaged overhead luggage rack or compartment.</li> <li>• Malfunction or absence of required passenger or mobility device restraints.</li> <li>• Passenger seat is insecure.</li> </ul>	<p><i>When affected position is occupied:</i></p> <ul style="list-style-type: none"> <li>• Malfunction or absence of required passenger or mobility device restraints.</li> <li>• Passenger seat is insecure.</li> </ul>
<b>18. Suspension System</b>	
<b>Defect(s)</b>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Air leak in air suspension system.</li> </ul>	<ul style="list-style-type: none"> <li>• Damaged, deflated air bag.</li> </ul>
<b>19. Steering</b>	
<b>Defect(s)</b>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Steering wheel lash (free-play) is greater than normal.</li> </ul>	<ul style="list-style-type: none"> <li>• Steering wheel is insecure, or does not respond normally.</li> <li>• Steering wheel lash (free-play) exceeds required limit.</li> </ul>
<b>20. Tires</b>	
<b>Defect(s)</b>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Damaged tread or sidewall of tire.</li> <li>• Tire leaking.</li> </ul>	<ul style="list-style-type: none"> <li>• Flat tire.</li> <li>• Tire tread depth is less than wear limit.</li> <li>• Tire is in contact with another tire or any vehicle component other than mud-flap.</li> <li>• Tire is marked "Not for highway use".</li> <li>• Tire has exposed cords in the tread or outer side wall.</li> </ul>
<b>21. Wheels, Hubs and Fasteners</b>	
<b>Defect(s)</b>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Hub oil below minimum level. (When fitted with sight glass.)</li> <li>• Leaking wheel seal.</li> </ul>	<ul style="list-style-type: none"> <li>• Wheel has loose, missing or ineffective fastener.</li> <li>• Damaged, cracked or broken wheel, rim or attaching part.</li> <li>• Evidence of imminent wheel, hub or bearing failure.</li> </ul>
<b>22 Windshield Wiper/Washer</b>	
<b>Defect(s)</b>	<b>Major Defect(s)</b>
<ul style="list-style-type: none"> <li>• Control or system malfunction.</li> <li>• Wiper blade damaged, missing or fails to adequately clear driver's field of vision.</li> </ul>	<p><i>When necessary for prevailing weather condition.</i></p> <ul style="list-style-type: none"> <li>• Wiper or washer fails to adequately clear driver's field of vision in area swept by driver's side wiper.</li> </ul>